Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 36 :: :: NUMBER 3

JANUARY 21 - - 1921

SPECIAL ARTICLES

Syphilis as a Cause of Insanity
Polluted Water Causes Typhoid Epidemic in Tennessee

WASHINGTON
GOVERNMENT PRINTING OFFICE
1921

UNITED STATES PUBLIC HEALTH SERVICE.

HUGH S. CUMMING, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

The Public Health Service is unable to supply the demand for bound copies of the PUBLIC HEALTH REPORTS. Librarians and others receiving the PUBLIC HEALTH REPORTS regularly should preserve them for binding, as it is not practicable to furnish bound copies on individual requests.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2 PER YEAR

CONTENTS.

Page.

Syphilis as a cause of insanity 67
Report on investigation of typhoid fever epidemic at Greeneville, Tenn 72
Deaths during week ended January 8, 1921:
In certain large cities of the United States 81
Death claims reported by insurance companies 82
Principal causes of death, October and November, 1920 82

PREVALENCE OF DISEASE.

United States:
Current State summaries—
Telegraphic reports for week ended January 15, 1921 83
Reports for week ended January 8, 1921 86
Summary of cases reported monthly by States 87
Reciprocal notification—Connecticut—December, 1920 87
Anthrax—California, Nebraska, New York, and Ohio 87
Beriberi—California—November, 1920 88
Cerebrospinal meningitis—City reports for week ended January 1, 1921 88
Influenza—City reports for week ended January 1, 1921 88
Leprosy—California—October, 1920 89
Lethargic encephalitis—California, District of Columbia, Florida, and Oregon 89
Malaria—City reports for week ended January 1, 1921 90
Pellagra—Charleston, S. C., and Dallas, Tex 90
Plague—
Human cases of plague reported 90
Plague-infected rodents 90
Pneumonia (all forms)—City reports for week ended January 1, 1921 91
Poliomyelitis (infantile paralysis)—City reports for week ended January 1, 1921 93
Smallpox—
Port Arthur, Tex 93
St. Paul, Minn 93
City reports for week ended January 1, 1921 93
Tetanus—City reports for week ended January 1, 1921 94
Trichinosis—California—November, 1920 94
Typhoid fever—
Epidemic at Philippi, W. Va 95
City reports for week ended January 1, 1921 95
Typhus fever—Waco, Tex.—January 3, 1921 95
Diphtheria, measles, scarlet fever, and tuberculosis—City reports for week ended January 1, 1921 96
Foreign and Insular:
Yellow fever on vessel—Steamship Savoia from Vera Cruz—At Habana 102
Cuba—
Beriberi on vessel—Habana 102
Communicable diseases—Habana 102

Foreign and Insular—Concluded. Page.
Danzig—Typhus fever 102
Denmark—Measures against importation of typhus fever 103
Great Britain—
Examination of rats—Plague rat found—Liverpool 103
Plague—Dublin—October, 1920 103
Poland—Cholera—Eastern frontier 103
Russia—Plague—Batum 103
Turkey—Contagious diseases on vessels—Constantinople 103
Cholera, plague, smallpox, typhus fever and yellow fever—
Reports received during week ended January 21, 1921—
Cholera 104
Plague 104
Smallpox 104
Typhus fever 105
Yellow fever 105
Reports received from January 1 to 14, 1921—
Cholera 106
Plague 106
Smallpox 107
Typhus fever 108
Yellow fever 108